

Curbs Plus, Inc.

1200 Carline Road
 Rossville, GA. 30741
 PH (706)858-1188/Fax (706)866-2339

APPROVED BY: _____

DATE APPROVED: _____

CPM-3 (Insulated) Ridge Mounted Metal Bldg. Roof Curb

Standard Features

1. 18 Ga. Prime Galvalume Steel Construction.
2. Corners Mitered and Welded Watertight.
3. Curbs Primed Painted after Fabrication.
4. 8" Minimum Height.
5. 1-1/2" Thick, 3# Density Fiberglass Insulation.
6. Internal Angle Reinforcing.

Options

- 1.
- 2.
- 3.
- 4.

PROJECT NAME: _____


CITY, STATE: _____

CUSTOMER: _____


JOB NUMBER: _____

Note: The Front, Rear, and Side Flanges Fit Over the Roof Panel

CLIPS TO MATCH THIS ROOF PANEL _____



PLAN VIEW




ELEVATION

Number of Over Clips Per Curb _____

"R" PANEL "SSR" PANEL "T" PANEL

SECTION B-B
(Over-Clips)



SECTION A-A

QUANTITY	INSIDE DIMENSION	OUTSIDE DIMENSION	"R"	"E"	"T"	TAG
x	x	x				